

## Offer Sheet

Product	Glycerin 99.7% USP (tallow based)
Quantity	13 totes
Net weight	35,750 lbs.
Expiration date	12/28/25
Availability	One time
Location	Cincinnati, OH 45204
Date	12/11/25
COA & SDS	Attached below

**Brian Svrusis**

Solvent Systems International  
575 Bennett Road  
Elk Grove Village, IL 60007  
847-323-6718 call or text  
Click here for: [Surplus Inventory](#)  
[Solvent-Systems.com](#)

## CERTIFICATE OF ANALYSIS GL-99.7 USP GLYCERIN

Method	Method #	Units	Specification	Result
Appearance	PCNA028	Pass / Fail	Clear, Viscous Liquid	<b>Pass</b>
Specific Gravity	PCNA033	25°/25°C	1.2613 min	<b>1.2617</b>
Glycerin	Calculation from Sp. Gr.	%	99.7 min	<b>99.8</b>
Assay, Anhydrous	PCNA014	%	99.0 – 101.0	<b>100.8</b>
Moisture	PCNA100	%	0.3 max	<b>0.0</b>
Color, APHA	PCNA090	Pt-Co	20 max	<b>7</b>
Fatty Acids and Esters	PCNA067	mL of 0.5 NaOH	1.0 max	<b>0.1</b>
Residue on Ignition	PCNA024	%	0.01 max	<b>0.00</b>
Related Compounds	PCNA091	%	0.1 max Individual Impurities	<b>Pass</b>
		%	1.0 max Total Impurities	
Identification A by IR	PCNA026	Pass / Fail	Pass – as Glycerin	<b>Pass</b>
Identification B by GC	PCNA092	%	0.10 max DEG	<b>Pass</b>
		%	0.10 max EG	
Identification C by GC	PCNA092	Pass / Fail	Pass – as Glycerin	<b>Pass</b>
Chlorides	PCNA021	ppm	10 max	<b>Pass</b>
Sulfates	PCNA023	ppm	20 max	<b>Pass</b>
Chlorinated Compounds	PCNA052	ppm	30 max	<b>Pass</b>
Elemental Impurities	USP <232>	N/A	Meets USP Requirements	<b>Compliant</b>
Residual Solvents	USP <467>	N/A	Meets USP Requirements	<b>Compliant</b>

# SAFETY DATA SHEET

GL-99.7, GL-99.7 V, GL-99.7 K

Revision Date: 09/05/2019  
Date of issue: 01/27/2015

## SECTION 1: IDENTIFICATION

### Product Identifier

**Product Form:** Substance

**Product Name:** GL-99.7, GL-99.7 V, GL-99.7 K

**CAS-No.:** 56-81-5

**Synonyms:** Glycerol/Glycerin USP, GL-99.7, GL-99.7 V, GL-99.7 K

### Intended Use of the Product

#### Use Of The Substance/Mixture:

For professional use only.

Multiple uses including as emulsifier, emollient, plasticizer, humectants, sweetener, anti-freeze, in surface coatings and paints, cosmetics, drug and food products. Intermediate for making glycerol derivatives.

### Name, Address, and Telephone of the Responsible Party

#### Company

Solvent Systems International  
575 Bennett Rd.  
Elk Grove Village, IL 60007  
847-437-1100

## SECTION 2: HAZARDS IDENTIFICATION

### Classification of the Substance or Mixture

#### GHS-US/CA Classification

Not classified

### Label Elements

**GHS-US/CA Labeling** No labeling applicable

### Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

### Unknown Acute Toxicity (GHS-US/CA)

No data available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### Substances

Name : GL-99.7, GL-99.7 V, GL-99.7 K  
CAS-No. : 56-81-5

Name	Synonyms	Product Identifier	% *	GHS Ingredient Classification
1,2,3-Propanetriol	Propane-1,2,3-triol / GLYCERIN / 1,2,3-Trihydroxypropane / Glycerol / Glycerine / Glycerin	(CAS-No.) 56-81-5	99 - 100	Not classified

Full text of H-phrases: see section 16

\*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

# Safety Data Sheet, GL-99.7, GL-99.7 V, GL-99.7 K

## SECTION 4: FIRST AID MEASURES

### Description of First-aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).

**Inhalation:** Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.

**Eye Contact:** Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

**Ingestion:** Do NOT induce vomiting. Rinse mouth. Obtain medical attention.

### Most Important Symptoms and Effects Both Acute and Delayed

**General:** Not expected to present a significant hazard under anticipated conditions of normal use.

**Inhalation:** Prolonged exposure may cause irritation.

**Skin Contact:** Prolonged exposure may cause skin irritation.

**Eye Contact:** May cause slight irritation to eyes.

**Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** None expected under normal conditions of use.

### Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If you feel unwell, seek medical advice (show the label where possible).

## SECTION 5: FIRE-FIGHTING MEASURES

### Extinguishing Media

**Suitable Extinguishing Media:** Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>). Acrolein.

**Reference to Other Sections:** Refer to Section 9 for flammability properties.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Avoid breathing (vapor, mist, spray). Avoid prolonged contact with eyes, skin and clothing.

#### For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Avoid all unnecessary exposure. Evacuate unnecessary personnel.

#### For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

### Environmental Precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### Methods and Materials for Containment and Cleaning Up

# Safety Data Sheet, GL-99.7, GL-99.7 V, GL-99.7 K

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Keep container closed when not in use. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store in a dry, cool place.

**Incompatible Materials:** Contact of glycerin with strong oxidizing agents such as Nitric Acid or other strong acids, Chromium Trioxide, Potassium Chlorate, or Potassium Permanganate may cause an explosion.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

1,2,3-Propanetriol (56-81-5)		
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup> (mist, total particulate) 5 mg/m <sup>3</sup> (mist, respirable fraction)
Alberta	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (mist)
British Columbia	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (mist) 3 mg/m <sup>3</sup> (mist-respirable)
New Brunswick	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (mist)
Nunavut	OEL STEL (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup> (mist)
Nunavut	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (mist)
Northwest Territories	OEL STEL (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup> (mist)
Northwest Territories	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (mist)
Québec	VEMP (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (mist)
Saskatchewan	OEL STEL (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup> (mist)
Saskatchewan	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (mist)
Yukon	OEL TWA (mg/m <sup>3</sup> )	30 mppcf (mist) 10 mg/m <sup>3</sup> (mist)

# Safety Data Sheet, GL-99.7, GL-99.7 V, GL-99.7 K

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Controls

**Appropriate Engineering Controls:** Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed. Suitable eye/body wash equipment should be available in the vicinity of any potential exposure.

**Personal Protective Equipment:** Protective goggles. Gloves. Protective clothing.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics.

**Hand Protection:** Wear chemically resistant protective gloves. Wear protective gloves.

**Eye and Face Protection:** Chemical safety goggles.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

**Environmental Exposure Controls:** Do not allow the product to be released into the environment.

**Consumer Exposure Controls:** Do not eat, drink or smoke during use

**Other Information:** When using, do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: Water white, clear
Odor	: Bland odor, sweet taste
Odor Threshold	: Not available
pH	: Not available
Evaporation Rate	: Not available
Melting Point	: $\approx 18^{\circ}\text{C}$ ( $64.4^{\circ}\text{F}$ )
Freezing Point	: $275^{\circ}\text{C}$ ( $527^{\circ}\text{F}$ )
Boiling Point	: $> 288^{\circ}\text{C}$ ( $550.4^{\circ}\text{F}$ ) @ 760 mmHg
Flash Point	: $> 198.9^{\circ}\text{C}$ ( $390.02^{\circ}\text{F}$ ) Closed-Cup
Auto-ignition Temperature	: $\approx 400^{\circ}\text{C}$ ( $752^{\circ}\text{F}$ )
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not applicable
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: $< 0.008$ mm Hg @ $68^{\circ}\text{F}$ ( $20^{\circ}\text{C}$ )
Relative Vapor Density at $20^{\circ}\text{C}$	: Not available
Relative Density	: 1.262 @ $25^{\circ}\text{C}$ ( $77^{\circ}\text{F}$ )
Specific Gravity	: 1.1
Solubility	: Water: Complete at $22^{\circ}\text{C}$ ( $72^{\circ}\text{F}$ ) Ethanol: Miscible Ether: Insoluble Acetone: Slightly soluble
Partition Coefficient: N-Octanol/Water	: Not available
Viscosity	: $\approx 1300$ mPa·s @ $20^{\circ}\text{C}$ ( $68^{\circ}\text{F}$ )

# Safety Data Sheet, GL-99.7, GL-99.7 V, GL-99.7 K

## SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** Hazardous reactions will not occur under normal conditions.

**Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.

**Incompatible Materials:** Contact of glycerin with strong oxidizing agents such as Nitric Acid or other strong acids, Chromium Trioxide, Potassium Chlorate, or Potassium Permanganate may cause an explosion.

**Hazardous Decomposition Products:** Does not decompose up to 204° C (400° F). Thermal decomposition may release acrolein.

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects - Product

**Acute Toxicity (Oral):** Not classified

**Acute Toxicity (Dermal):** Not classified

**Acute Toxicity (Inhalation):** Not classified

**LD50 and LC50 Data:** Not available

**Skin Corrosion/Irritation:** Not classified

**Eye Damage/Irritation:** Not classified

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Carcinogenicity:** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Prolonged exposure may cause irritation.

**Symptoms/Injuries After Skin Contact:** Prolonged exposure may cause skin irritation.

**Symptoms/Injuries After Eye Contact:** May cause slight irritation to eyes.

**Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

**Chronic Symptoms:** None expected under normal conditions of use.

### Information on Toxicological Effects - Ingredient(s)

**LD50 and LC50 Data:**

1,2,3-Propanetriol (56-81-5)	
LD50 Oral Rat	12600 mg/kg
LD50 Dermal Rabbit	> 10 g/kg
LC50 Inhalation Rat	> 570 mg/m <sup>3</sup> (Exposure time: 1 h)

## SECTION 12: ECOLOGICAL INFORMATION

### Toxicity

**Ecology - General:** Not classified.

1,2,3-Propanetriol (56-81-5)	
LC50 Fish 1	54000 (51000 - 57000) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])

### Persistence and Degradability

GL-99.7, GL-99.7 V, GL-99.7 K (56-81-5)	
Persistence and Degradability	Not established.

### Bioaccumulative Potential

# Safety Data Sheet, GL-99.7, GL-99.7 V, GL-99.7 K

## SECTION 12: ECOLOGICAL INFORMATION

### GL-99.7, GL-99.7 V, GL-99.7 K (56-81-5)

Bioaccumulative Potential	Not established.
1,2,3-Propanetriol (56-81-5)	
BCF Fish 1	(no bioaccumulation)
Log Pow	-1.76

**Mobility in Soil** Not available

### Other Adverse Effects

**Other Information:** Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

**Waste Disposal Recommendations:** Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

**Ecology - Waste Materials:** Avoid release to the environment.

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

**In Accordance with DOT** Not regulated for transport

**In Accordance with IMDG** Not regulated for transport

**In Accordance with IATA** Not regulated for transport

**In Accordance with TDG** Not regulated for transport

## SECTION 15: REGULATORY INFORMATION

### US Federal Regulations

#### 1,2,3-Propanetriol (56-81-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### US State Regulations

#### 1,2,3-Propanetriol (56-81-5)

U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min)  
U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr)  
U.S. - Florida - Essential Chemicals List  
U.S. - Idaho - Occupational Exposure Limits - TWAs  
RTK - U.S. - Massachusetts - Right To Know List  
U.S. - Michigan - Occupational Exposure Limits - TWAs  
U.S. - Minnesota - Hazardous Substance List  
U.S. - Minnesota - Permissible Exposure Limits - TWAs  
RTK - U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - New York - Occupational Exposure Limits - TWAs  
U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 8-Hour  
U.S. - Oregon - Permissible Exposure Limits - TWAs  
RTK - U.S. - Pennsylvania - RTK (Right to Know) List  
U.S. - Tennessee - Occupational Exposure Limits - TWAs  
U.S. - Texas - Effects Screening Levels - Long Term  
U.S. - Texas - Effects Screening Levels - Short Term  
U.S. - Vermont - Permissible Exposure Limits - TWAs  
U.S. - Washington - Permissible Exposure Limits - STELs



# Safety Data Sheet, GL-99.7, GL-99.7 V, GL-99.7 K

## SECTION 15: REGULATORY INFORMATION

U.S. - Washington - Permissible Exposure Limits - TWAs

### Canadian Regulations

**1,2,3-Propanetriol (56-81-5)**

Listed on the Canadian DSL (Domestic Substances List)

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Date of Preparation or Latest Revision** : 09/05/2019

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

### GHS Full Text Phrases:

*IMPORTANT: The information on specifications provided herein, while believed to be accurate and reliable, is given without guarantee or warranty of any kind expressed or implied. Any implied warranties of merchantability and fitness for purposes are expressly disclaimed. Purchaser assumes all risk in acting on this information. Nothing contained herein shall be construed as a recommendation to use any product in connection with existing patents covering any material or its use. Moreover, no license is to be implied under any patents relating to uses of the above described chemicals other than those uses specifically referenced herein.*